

Report Date: 8/5/2011

Reference #: 895477

Radiography Date: 7/22/2011

Practice #:

Date Received: 8/2/2011

Owner:

LEANNE MC TEAR
4 DANA PL, MAIREHAU
CHRISTCHURCH,
NEW ZEALAND

PennHIP Member:

DR. KIRSTEN WYLIE
TOTAL VETERINARY SERVICES
PO BOX 21060
EDGEWARE
CHRISTCHURCH, 8043
NEW ZEALAND

ANIMAL
VELVETLODGE MAGICAL MOJO
CANINE / GIANT SCHNAUZER

Reg. #: 01825-2008

Microchip: 985009104722091

Date of Birth: 12/11/2007 Sex: F Weight: 0 lbs. Age: 43 mo.

Tattoo:

RESULTS

LEFT	Distraction Index (DI)	0.26	DI is less than or equal to 0.30, with no radiographic evidence of DJD.
	Degenerative Joint Disease (DJD)	None	
	Cavitation	No	
	Other Findings	Not Applicable	
RIGHT	Distraction Index (DI)	0.22	DI is less than or equal to 0.30, with no radiographic evidence of DJD.
	Degenerative Joint Disease (DJD)	None	
	Cavitation	No	
	Other Findings	Not Applicable	

Please note that the PennHIP DI is a measure of hip joint laxity, it does not allude to a "passing" or "failing" hip score.

LAXITY PROFILE RANKING

The laxity profile ranking is based on the hip with the greater laxity (DI). This interpretation is based on a cross-section of 243 CANINE animals of the GIANT SCHNAUZER breed. The median DI for this group is 0.46.

Percentiles									
90th	80th	70th	60th	50th	40th	30th	20th	10th	
> 90th				Median					< 10th



The chart above indicates the ranking of your animal's passive hip laxity (DI) in relation to all CANINE animals of the GIANT SCHNAUZER breed in our database. This result means that 1) your animal's hips are tighter than over 90% of the animals in this group, and 2) your animal's hip laxity is in the tighter half of the laxity profile. Breed-specific evaluations are analyzed semi-annually. Consequently, the average laxity and range of laxity for any given group will change over time.

PennHIP does not make specific breeding recommendations. Selection of sire and dam for mating is the decision of the breeder.

NOTE: As a minimum breeding criterion, we propose that breeding stock be selected from the population of animals having hip axity in the tighter half of the breed (to the left of the median mark on the graph). Higher selection pressure equates to more rapid expected genetic change per generation.

By implementing selection based on passive hip laxity, we expect the breed average DI over the years to move toward tighter hip configuration, meaning lower hip dysplasia susceptibility. The PennHIP database permits scientific adjustment of criteria to reflect these shifts; the average laxity and range of laxity for a particular breed will change over time.

PennHIP / Veterinary School of the University of Pennsylvania / 3800 Spruce Street / Philadelphia, PA 19104

www.pennhip.org