



VETERINARYIMAGINGASSOCIATES

PO Box 300
St. Leonards NSW 1590
Australia

Graeme S. Allan, MVSc, FACVSc, DACVR
Robert G. Nicoll, BSc(Vet), BVSc, DACVR

Phone: 1300 300 892
Fax: 1300 300 894
Email: via@online-vets.com
Website: www.online-vets.com

HIP AND ELBOW DYSPLASIA EVALUATION REPORT

REGISTERED NAME:	SOUTHERLY RAINCHECK	REGISTERED NUMBER:	01882-2009
BREED:	Labrador Retriever	MICROCHIP NUMBER:	956000001017579
SEX:	Male	DATE OF BIRTH:	25 January 2009
OWNER:	Susan Harries	DOG (pet) NAME:	Ollie

SIRE:	CH ROUGHFIELD RIGHT AS RAIN 01004-2006
DAM:	SOUTHERLY INTO THE NIGHT QC. 08816-2003

Veterinary Hospital:	Veterinary Associates Takanini Ltd	Date of radiography:	01/07/15
Address:	PO Box 75-086, Manurewa, 2243, New Zealand	Telephone:	+649 299 8250

HIP SCORE:	right	left
Norberg's Angle	0	0
Subluxation	2	2
Cranial acetabular edge	1	1
Dorsal acetabular edge	1	2
Cranial effective acetabular margin	0	1
Acetabular fossa	0	0
Caudal acetabular edge	0	0
Femoral head/neck exostoses	1	1
Femoral head recontouring	1	1
<i>Sub total:</i>	6	8
TOTAL:	13	
BREED AVERAGE HIP SCORE IN AUSTRALIA FOR THE LABRADOR RETRIEVER IS: 9		

To reduce the incidence of HIP dysplasia it is recommended that dogs with a total score below the breed average be considered as breeding stock.

ELBOW SCORING:	right: <1mm	GRADE =	[0]	[1]	[2]	[3]
	left: 0mm	GRADE =	[0]	[1]	[2]	[3]

To reduce the incidence of ELBOW dysplasia it is recommended that dogs with grades of 0 to 1 be considered as breeding stock.

For further information please refer to – www.online-vets.com

The radiographs are clearly labeled with:

Microchip number Y/N
Registered name Y/N

Tattoo number Y/N
Registered number Y/N

Signed:	Graeme S. Allan / Robert G. Nicoll	Reprinted: 11/10/2016
This report represents the conclusion of two veterinary radiologists – Drs Graeme S. Allan and Robert G. Nicoll		Date: 31/07/2015

Due to the technology available today and the ability to falsify documents, please feel free to phone our office to confirm the details stated on this certificate are true and correct at the time of printing.