## Office Use Only

## **Accredited Breeders Scheme**

NZKC

Private Bag 50903, Porirua 5240
Phone: (04) 237-4489; Fax: (04) 237-0721
www.nzkc.org.nz

Office Use Only

## Application for Patellar Luxation Database Please type or print legibly. To ensure accuracy please enclose copy of the dog's registration papers

Previous application number (if any):			Registration number:
			4ma350323 2100350373
Registered name:		A	Sex: Colour:
Ch Strongfort Shine in What Top A			s) Vitch. Black.
Affenninscher			Date of Birth (dd/mm/yy)
ID Number (if any): Tattoo Microchip			Registration number of Sire: Registration number of Dam:
\$100 943 094320 323 0 13.			350353 2007 2100227043  Date of current examination (dd/mm/yy)
Mrs Cathone Bradsha			23 · 6 · 15 ·
Co-owner Name:			Examining veterinarian's name or veterinary hospital:
Malling address:  6 Duther Port Age Lines and			Railing address: POX 21060 Flageware.
Cleada	Postcode:	Phone: 2   53 581-6160	Gity: Postcode: Phone:
Phone (Mobile):	email:	C Dynarelbo	Phone (Mobile): email:
027 25 666	(2) ansie	yeallor laves on	The down Ended voted
11.17.18.18.18.18.18.18.18.18.18.18.18.18.18.	(Cianatura of	4	the statistical and scientific research to be published.  Total Vets Ltd  516 Gloucester St
Patellar Evamina	(Signature of owner	n)	7 7 /S (Date) 516 Gloucester St Christchurch 8011 Ph: 389 4564
		d .	Christchurch 8011 Ph: 389 4564 www.totalvets.co.nz
1. Normal	tion Results	r)	Christchurch 8011 Ph: 389 4564 www.totalvets.co.nz
I. Normal right		n)	Christchurch 8011 Ph: 389 4564 www.totalvets.co.nz
1. Normal right	tion Results	rd	Christchurch 8011 Ph: 389 4564 www.totalvets.co.nz  Grade 1 - The patella easily luxates manually at full extension
1. Normal right  2. Patellar Luxation bilateral unilateral	tion Results  Teft  right	□ left	Christchurch 8011 Ph: 389 4564 www.totalvets.co.nz  3. Classification of luxation Grade 1 - The patella easily luxates manually at full extension of the stifle joint, but returns to the trochlea when released. Grade 2 - There is frequent patellar luxation which, in some cases becomes more or less permanent.
right  Patellar Luxation bilateral unilateral luxated	tion Results  left right medial	left   lateral	Christchurch 8011 Ph: 389 4564 www.totalvets.co.nz  Classification of luxation Grade 1 - The patella easily luxates manually at full extension of the stifle joint, but returns to the trochlea when released. Grade 2 - There is frequent patellar luxation which, in some cases becomes more or less permanent. Grade 3 - The patella is permanently luxated with torsion of the
1. Normal right 2. Patellar Luxation bilateral unilateral	tion Results  Teft  right	□ left	Christchurch 8011 Ph: 389 4564 www.totalvets.co.nz  Classification of luxation Grade 1 - The patella easily luxates manually at full extension of the stifle joint, but returns to the trochlea when released. Grade 2 - There is frequent patellar luxation which, in some cases becomes more or less permanent. Grade 3 - The patella is permanently luxated with torsion of the tibia and deviation of the tibial crest of between 30 degrees
1. Normal right  2. Patellar Luxation bilateral unilateral luxated luxation is:	right medial intermittent	left   lateral   permanent	Christchurch 8011 Ph: 389 4564 www.totalvets.co.nz  Classification of luxation Grade 1 - The patella easily luxates manually at full extension of the stifle joint, but returns to the trochlea when released. Grade 2 - There is frequent patellar luxation which, in some cases becomes more or less permanent. Grade 3 - The patella is permanently luxated with torsion of the
2. Patellar Luxation	right medial intermittent < 2 months	☐ left ☐ lateral ☐ permanent ☐ 2-6 months	Christchurch 8011 Ph: 389 4564 www.totalvets.co.nz  Classification of luxation Grade 1 - The patella easily luxates manually at full extension of the stifle joint, but returns to the trochlea when released. Grade 2 - There is frequent patellar luxation which, in some cases becomes more or less permanent. Grade 3 - The patella is permanently luxated with torsion of the tibia and deviation of the tibial crest of between 30 degrees and 50 degrees from the cranial/caudal plane.
1. Normal	right medial intermittent < 2 months 6-12 months	☐ left ☐ lateral ☐ permanent ☐ 2-6 months ☐ > 12 months	Christchurch 8011 Ph: 389 4564 www.totalvets.co.nz  Classification of luxation Grade 1 - The patella easily luxates manually at full extension of the stifle joint, but returns to the trochlea when released. Grade 2 - There is frequent patellar luxation which, in some cases becomes more or less permanent. Grade 3 - The patella is permanently luxated with torsion of the tibia and deviation of the tibial crest of between 30 degrees and 50 degrees from the cranial/caudal plane. Grade 4 - The tibia is medially twisted and the tibial crest may show further deviation medially with the result that it lies 50 degrees to 90 degrees from the cranial/caudal plane.
1. Normal     right 2. Patellar Luxation     bilateral     unilateral     luxated     luxation is:     age of onset	right medial intermittent < 2 months 6-12 months	☐ left ☐ lateral ☐ permanent ☐ 2-6 months ☐ > 12 months	Christchurch 8011 Ph: 389 4564 www.totalvets.co.nz  Classification of luxation Grade 1 - The patella easily luxates manually at full extension of the stifle joint, but returns to the trochlea when released. Grade 2 - There is frequent patellar luxation which, in some cases becomes more or less permanent. Grade 3 - The patella is permanently luxated with torsion of the tibia and deviation of the tibial crest of between 30 degrees and 50 degrees from the cranial/caudal plane. Grade 4 - The tibia is medially twisted and the tibial crest may show further deviation medially with the result that it lies 50 degrees to 90 degrees from the cranial/caudal plane.  ABS procedure
1. Normal	right medial intermittent 6-12 months	☐ left ☐ lateral ☐ permanent ☐ 2-6 months ☐ > 12 months	Christchurch 8011 Ph: 389 4564 www.totalvets.co.nz  Classification of luxation Grade 1 - The patella easily luxates manually at full extension of the stifle joint, but returns to the trochlea when released. Grade 2 - There is frequent patellar luxation which, in some cases becomes more or less permanent. Grade 3 - The patella is permanently luxated with torsion of the tibia and deviation of the tibial crest of between 30 degrees and 50 degrees from the cranial/caudal plane. Grade 4 - The tibia is medially twisted and the tibial crest may show further deviation medially with the result that it lies 50 degrees to 90 degrees from the cranial/caudal plane.  ABS procedure DID NOT verify tattoo/microchip information on this dog
1. Normal	right medial intermittent < 2 months 6-12 months	☐ left ☐ lateral ☐ permanent ☐ 2-6 months ☐ > 12 months	Christchurch 8011 Ph: 389 4564 www.totalvets.co.nz  Classification of luxation Grade 1 - The patella easily luxates manually at full extension of the stifle joint, but returns to the trochlea when released. Grade 2 - There is frequent patellar luxation which, in some cases becomes more or less permanent. Grade 3 - The patella is permanently luxated with torsion of the tibia and deviation of the tibial crest of between 30 degrees and 50 degrees from the cranial/caudal plane. Grade 4 - The tibia is medially twisted and the tibial crest may show further deviation medially with the result that it lies 50 degrees to 90 degrees from the cranial/caudal plane.  ABS procedure
1. Normal     right  2. Patellar Luxation     bilateral     unilateral     luxated     luxation is:     age of onset    Certify that the exity of the control of the contro	right right medial intermittent < 2 months 6-12 months microchip information in Signature.  rry by submitter	left lateral permanent 2-6 months > 12 months	Christchurch 8011 Ph: 389 4564 www.totalvets.co.nz  Classification of luxation Grade 1 - The patella easily luxates manually at full extension of the stifle joint, but returns to the trochlea when released. Grade 2 - There is frequent patellar luxation which, in some cases becomes more or less permanent. Grade 3 - The patella is permanently luxated with torsion of the tibia and deviation of the tibial crest of between 30 degrees and 50 degrees from the cranial/caudal plane. Grade 4 - The tibia is medially twisted and the tibial crest may show further deviation medially with the result that it lies 50 degrees to 90 degrees from the cranial/caudal plane.  ABS procedure DID NOT verify tattoo/microchip information on this dog
1. Normal     right  2. Patellar Luxation     bilateral     unilateral     luxated     luxation is:     age of onset    Certify that the exity of the control of the contro	right right medial intermittent <2 months 6-12 months	left lateral permanent 2-6 months > 12 months	Christchurch 8011 Ph: 389 4564 www.totalvets.co.nz  Classification of luxation Grade 1 - The patella easily luxates manually at full extension of the stifle joint, but returns to the trochlea when released. Grade 2 - There is frequent patellar luxation which, in some cases becomes more or less permanent. Grade 3 - The patella is permanently luxated with torsion of the tibia and deviation of the tibial crest of between 30 degrees and 50 degrees from the cranial/caudal plane. Grade 4 - The tibia is medially twisted and the tibial crest may show further deviation medially with the result that it lies 50 degrees to 90 degrees from the cranial/caudal plane.  ABS procedure DID NOT verify tattoo/microchip information on this dog
1. Normal     right  2. Patellar Luxation     bilateral     unilateral     luxated     luxation is:     age of onset  1 certify that the exitation Vetering rice  Fees: Fees for data base en Fees for data base en	right right medial intermittent < 2 months 6-12 months microchip information microchip i	left   lateral   permanent   2-6 months   > 12 months	Christchurch 8011 Ph: 389 4564 www.totalvets.co.nz  3. Classification of luxation  Grade 1 - The patella easily luxates manually at full extension of the stifle joint, but returns to the trochlea when released.  Grade 2 - There is frequent patellar luxation which, in some cases becomes more or less permanent.  Grade 3 - The patella is permanently luxated with torsion of the tibia and deviation of the tibial crest of between 30 degrees and 50 degrees from the cranial/caudal plane.  Grade 4 - The tibia is medially twisted and the tibial crest may show further deviation medially with the result that it lies 50 degrees to 90 degrees from the cranial/caudal plane.  ABS procedure  DID NOT verify tattoo/microchip information on this dog  Date: (Date/Month/Year)
1. Normal     right  2. Patellar Luxation     bilateral     unilateral     luxated     luxation is:     age of onset  1 certify that the exitation Vetering rice  Fees: Fees for data base en Fees for data base en	right right medial intermittent < 2 months 6-12 months microchip information microchip i	left   lateral   permanent   2-6 months   > 12 months	Christchurch 8011 Ph: 389 4564 www.totalvets.co.nz  Classification of luxation Grade 1 - The patella easily luxates manually at full extension of the stifle joint, but returns to the trochlea when released. Grade 2 - There is frequent patellar luxation which, in some cases becomes more or less permanent. Grade 3 - The patella is permanently luxated with torsion of the tibia and deviation of the tibial crest of between 30 degrees and 50 degrees from the cranial/caudal plane. Grade 4 - The tibia is medially twisted and the tibial crest may show further deviation medially with the result that it lies 50 degrees to 90 degrees from the cranial/caudal plane.  ABS procedure DID NOT verify tattoo/microchip information on this dog
1. Normal	right right medial intermittent < 2 months 6-12 months microchip information microchip i	left   lateral   permanent   2-6 months   > 12 months	Christchurch 8011 Ph: 389 4564 www.totalvets.co.nz  3. Classification of luxation  Grade 1 - The patella easily luxates manually at full extension of the stifle joint, but returns to the trochlea when released.  Grade 2 - There is frequent patellar luxation which, in some cases becomes more or less permanent.  Grade 3 - The patella is permanently luxated with torsion of the tibia and deviation of the tibial crest of between 30 degrees and 50 degrees from the cranial/caudal plane.  Grade 4 - The tibia is medially twisted and the tibial crest may show further deviation medially with the result that it lies 50 degrees to 90 degrees from the cranial/caudal plane.  ABS procedure  DID NOT verify tattoo/microchip information on this dog  Date: (Date/Month/Year)
1. Normal     right  2. Patellar Luxation     bilateral     unilateral     luxated     luxation is:     age of onset  1 Certify that the exitation Vetering rice  Fees: Fees for data base en Fees for data base en	right right medial intermittent < 2 months 6-12 months microchip information in Signature.  try by submitter	left lateral permanent 2-6 months > 12 months  med according to the A on on this dog  """ \$5.00 \$35.00  osit, Visa or Mastercard, payo	Christchurch 8011 Ph: 389 4564 www.totalvets.co.nz  3. Classification of luxation  Grade 1 - The patella easily luxates manually at full extension of the stifle joint, but returns to the trochlea when released.  Grade 2 - There is frequent patellar luxation which, in some cases becomes more or less permanent.  Grade 3 - The patella is permanently luxated with torsion of the tibia and deviation of the tibial crest of between 30 degrees and 50 degrees from the cranial/caudal plane.  Grade 4 - The tibia is medially twisted and the tibial crest may show further deviation medially with the result that it lies 50 degrees to 90 degrees from the cranial/caudal plane.  ABS procedure  DID NOT verify tattoo/microchip information on this dog  Date: (Date/Month/Year)